CONTINUING PATENT APPLICATION TRANSMITTAL

(for Continuing Applications
under 37 C.F.R. §1.53(b))
Attorney Docket No. 68570

First Named Inventor or Application Identifier:

Lamkin, et al.

Box PATENT APPLICATION Commissioner for Patents Washington, D.C. 20231

Sir:

Abertical State of the State of

n.

This is a request under 37 C.F.R. §1.53(b) for filing a:

- () Continuation application,
- () Divisional application,
- (X) Continuation-in-Part application,

of pending prior application number $_/$ (Not yet assigned) (Our Docket No. 68532, filed on 8/24/00 of Lamkin, et al., for SOFTWARE ENGINE FOR COMBINING VIDEO OR AUDIO CONTENT WITH PROGRAMMATIC CONTENT.

1. () This is a continuation or divisional application. Enclosed is a copy of the prior application as originally filed, including specification, claims, drawings, and oath or declaration.

- or -

- (X) Enclosed is a patent application (for continuation, divisional, or continuation-in-part applications) containing:
 - (X) 28 pages of the specification (including claims).
 - (X) 3 sheets of drawings (X) Formal () Informal.
- 2. () Amend the specification by inserting before the first line the sentence: --This is a [] continuation, [] division, [] continuation-in-part, of prior application number _______, filed _______, which is hereby incorporated herein by reference in its entirety.-- The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under paragraph 3 below, is considered as being part of the disclosure of the accompanying application, and is hereby incorporated by reference therein.

3.	()	Α	copy	of	the	executed	oath	or	declaration	filed	in	the	prior
		nonprovisional				onal	applicati	on is	en	closed.				

4. () Inventorship:

- () A newly-executed oath or declaration and power of attorney is enclosed (for continuation-in-part applications, or for continuation or divisional applications naming an inventor not named in the prior application) (§1.63(a), (d)(5) and (e)).
- () Because this application is being filed by fewer than all of the inventors named in the prior application, delete the following inventor(s) named in the prior nonprovisional application (37 C.F.R. §1.63(d)(1)(2)):
- (X) The names of persons believed to be the actual inventors are set forth in the enclosed unexecuted oath or declaration and power of attorney (§1.41(a) and §1.53(b)).
- 5. () Assignment(s) of the invention to ______, and cover sheet are enclosed.
- 6. () The prior application is assigned of record to
- 7. () Small Entity Status (37 C.F.R. §1.28(a)(2)):
- 8. () A 37 C.F.R. §3.73(b) statement is enclosed (where an assignee seeks to take action in a matter before the Patent Office).
- 9. () A preliminary amendment is enclosed.

10. () Drawings:

- () Transfer the drawings from the prior application to this application and abandon said prior application as of the filing date accorded this application. A duplicate copy of this sheet is enclosed for filing in the prior application file. (May be used only if signed by person authorized by §1.138 and before payment of base issue fee.)
- (X) New formal drawings are enclosed.
- () Informal drawings are enclosed.

Total

\$<u>768.00</u>

ø
T.
<u>Le</u>
100
200
E
H Hall Hall Hall
H Hall Hall Hall
H Hall Hall Hall

11.	()	A separate written request under 37 C.F.R. §1.136(a)(3), which a general authorization to treat any concurrent or future reprequiring a petition for an extension of time under 37 C.F. §1.136(a) for its timely submission as incorporating a petitifor an extension of time for the appropriate length of time, enclosed.	R. Or						
12.	()	An Information Disclosure Statement is enclosed.							
13.	()	A MicroFiche Computer Program (Appendix) is enclosed.							
14.	(X)	A Return Receipt Postcard is enclosed (MPEP §503).							
15.	()	A Nucleotide and/or Amino Acid Sequence Submission is enclosed.							
16.	()	Priority of application number/ filed on in is claimed under 35 U.S.C. §119.							
17.	(X)	Power of Attorney:							
	(X)	The power of attorney in the prior application is to:							
		(X) Thomas F. Lebens Reg. No. 38,221 FITCH, EVEN, TABIN, & FLANNERY Suite 1600 120 South LaSalle Street Chicago, Illinois 60603-3406 and other members of the firm.							
		(X) Customer Number 22242.							
	(X)	The power appears in the original papers in the prior applicatio	n.						
18.	()	Cancel in this application original claims of the prior application before calculating the filing fee. (At least one original independent claim must be retained for filing purposes.)							
19.	(X)	The filing fee is calculated below:							
		Fee Calculation for Claims as Filed in the Prior Application, Less Any Claims Cancelled by Amendment							
		(X) Basic Utility Fee \$ 690.00 \$690.00							
		• (X) Independent Claims <u>4</u> - 3 = <u>1</u> x \$ 78.00 = \$ 78.00							
		• (X) Total Claims <u>10</u> - 20 = <u>0</u> x \$ 18.00 = \$ <u>0</u>							
		Total of above Calculations \$768.00							
		Reduction by 50% for Filing by Small Entity \$							

- 20. (X) The payment of the Filing Fee is to be deferred until the Declaration is filed. Do not charge our Deposit Account.
- 21. () The Commissioner is hereby authorized to charge any fees which may be required under 37 C.F.R. §§1.16 and 1.17 and are not paid herewith, or credit any overpayment, to Deposit Account Number. A duplicate copy of this request is enclosed.
- 22. () Also enclosed:
- 23. (X) Address all future communications to Customer Number 22242



FITCH, EVEN, TABIN & FLANNERY Suite 1600

120 South LaSalle Street

Chicago, Illinois 60603-3406

Telephone: (858) 552-1311 Facsimile: (858) 552-0095

August 28, 2000

The state of the s

Scott J. Menghin

Registration No. 42,880

United States Patent Application

SOFTWARE ENGINE FOR COMBINING VIDEO OR AUDIO CONTENT WITH PROGRAMMATIC CONTENT

CERTIFICATE OF MAILING BY "EXPRESS MAIL"

Express Mail Mailing Label No.: EL591660786 US Deposited on August 28, 2000

I hereby certify that this paper is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" Service under 37 CFR '1.10 on the date indicated above and is addressed to the Commissioner for Patents, Washington, D.C. 20231

Carrie Merzbacher

(Typed name of person mailing)

(Signature of person mailing)

FETF: 68570

SOFTWARE ENGINE FOR COMBINING VIDEO OR AUDIO CONTENT WITH PROGRAMMATIC CONTENT

5

This patent document is a Continuation-in-part of U.S. Patent Application Serial Number (not yet assigned), filed on August 24, 2000 (Our Docket No. 68532, for SOFTWARE ENGINE FOR COMBINING VIDEO OR AUDIO CONTENT WITH PROGRAMMATIC CONTENT, which claims the benefit of U.S. Provisional Patent Application Serial No. 60/220,397, filed on July 24, 2000 for DVD CONTENT GENERATION USING AN XML INTERFACE, all of which are incorporated herein by reference.

15

BACKGROUND OF THE INVENTION

The present invention relates the authoring of video and/or audio content (referred to generically herein 20 as video/audio content), and programmatic content for storage on or transmission through a medium, and more particularly to a software engine for authoring video and/or audio content, and programmatic content for storage on or transmission through a medium, such as an optical storage medium, or a computer network (such as through downloading of a multimedia file, or streaming of video or audio). Even more particularly, the present invention relates to a software engine for receiving a definition for video or audio content and for combining the definition with programmatic content developed in a development environment, and for outputting a ROM image or transmission image as a function of the definition and the programmatic content.

Software authoring tools in the computer software industry provide various mechanisms to assist the

25

software author in preparing software deliverables suitable for use by an end user. The purpose of these software-authoring tools is to provide a mechanism by which otherwise tedious and repetitive tasks can be streamlined. This may involve, for example, the conversion of software source code of one type into software source code of another type or the provision of subroutine libraries that can be invoked by or included by a software author in software deliverables in order to effect a business method sought to be achieved through a particular software implementation.

Recently, a great deal of attention has been focused on the digital video disk (DVD) industry, with deployment of DVD technology exceeding that of all prior or similar technologies, e.g., audio cassette tapes, video tapes, laser disks, compact disks and the like to a significant degree.

The use of DVD technology on computers, such as personal computers, has provided a combination that allows a degree of interactivity to be achieved between DVD content and an end user. Problematically, mechanisms for controlling DVD hardware using computer software have been quite primitive and limited in nature, and significant interactivity has been restrained.

With the Internet now a further mechanism for interactivity, the computer software industry's lack of DVD interactivity mechanisms has only further been highlighted.

The present invention advantageously addresses 30 the above and other needs.

SUMMARY OF THE INVENTION

The present invention advantageously addresses the needs above as well as other needs by providing a system and method for authoring video or audio content, and programmatic content for storage on or transmission through a medium.

In one embodiment, the present invention can be characterized as a method for combining video/audio content with programmatic content comprising the following steps: generating authoring output comprising a definition for a variable, and further comprising a representation of the video/audio content; selecting a source file, the source file comprising the variable; searching the source file for the variable, and replacing the variable with the definition for the variable; generating programmatic content in response to the searching; and generating an image as a function of the programmatic content and the representation of the audio/video content.

In a further embodiment, the present invention

20 can be characterized as a system for combining video/audio
content with programmatic content. The system searches a
source file for a variable, and replaces the variable with
a definition for the variable; generates programmatic
content in response to the searching; and generates an

25 image as a function of the programmatic content and a
representation of the audio/video content.

In yet a further embodiment, the invention can be characterized as a system for combining video/audio content with programmatic content. The system employs a 30 parser adapted to search a source file for a variable, replace the variable with a definition for the variable, and generate programmatic content in response to the searching; and an image engine adapted to generate an image as a function of the programmatic content and a representation of the audio/video content.

In accordance with another embodiment, the present invention can be characterized as a software system employing a searching module for searching a source file for a variable, and for replacing the variable with a definition for the variable; a content generating module for generating programmatic content in response to the searching; and an image generation module for generating an image as a function of the programmatic content and a representation of the audio/video content.

15

BRIEF DESCRIPTION OF THE DRAWINGS

The above and other aspects, features and advantages of the present invention will be more apparent from the following more particular description thereof, presented in conjunction with the following drawings wherein:

FIG. 1 is a block diagram showing basic components that comprise a system for combining video/audio content and programmatic content for storage on or transmission through a medium;

FIG. 2 is a detailed block diagram illustrating the basic components shown in FIG. 1 for combining video/audio content and programmatic content for storage on or transmission through a medium, such as a digital video disk (DVD); and

FIG. 3 is a flow diagram depicting steps traversed in operation of the system of FIG. 1.

Corresponding reference characters indicate corresponding components throughout the several views of the drawings.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The following description of the presently contemplated best mode of practicing the invention is not to be taken in a limiting sense, but is made merely for the purpose of describing the general principles of the invention. The scope of the invention should be determined with reference to the claims.

Referring first to FIG. 1, a block diagram is

shown of basic components that comprise a system for
combining video/audio content and programmatic content for
storage on or transmission through a medium. Shown is a
Video/Audio authoring environment 100, authoring output
102, a programmatic content development environment 104, a
software engine 106, an image 108, a formatter 110, and an
output 112.

The Video/Audio Authoring Environment 100
generates the Authoring Output 102, which is provided to
the software engine 106 (DVD-ROM engine) then to the
Programmatic Content Development Environment 104. The
Authoring Output 102 represents, distills and defines the
video/audio content on a DVD, such as by representing the
title and/or chapter points within the video/audio content
using extensible markup language (XML). The Authoring
Output 102 further includes at least one definition for at

least one variable to be included in JavaScript and HTML source files, described further hereinbelow. The Programmatic Content Development Environment 106 is used to define and/or select one or more JavaScript and HTML source files, each containing at least one variable. The DVD-ROM Engine 106 matches variables that are defined within the Authoring Output 102 to the at least one variable in the JavaScript and HTML source file in order to generate the image 108 (DVD Image file) that is passed along to the Formatter 110, which is used to generate the output 112 (DVD Output).

The Video/Audio Authoring Environment 100 may be implemented using a combination of software and a computer, such as a personal computer. The personal 15 computer comprises at least one central processing unit (CPU), memory, a display device, and an input device, such as a keyboard. Suitable storage medium, such as a magnetic or optical disk drive, or a memory, coupled to the computer may be used to store the Authoring Output 102 20 upon generation, and to transfer the Authoring Output 102 to the Programmatic Content Development Environment 104 and the DVD-ROM Engine 106. Similarly, the Programmatic Content Development Environment 104 may be implemented using a combination of software and a personal computer. 25 The computer may be as described above, with a CPU, memory, display and input device. And, suitable storage medium (such as those described above) coupled to the computer may be used to store the JavaScript and HTML

source files, and to transfer the JavaScript and HTML 30 source files to the DVD-ROM Engine. The DVD-ROM Engine,

like the Video/Audio Authoring 100 environment and the Programmatic Content Development Environment 104, may be implemented using a combination of software and a computer, such as a personal computer. The computer may be as described above, with a CPU, memory, display and input device. A suitable storage medium (such as those described above) coupled to the computer may be used to store the DVD Image and transfer the DVD Image to the Formatter. As with the Video/Audio Authoring Environment 100, the

10 Programmatic Content Development Environment 104 and the DVD-ROM Engine 106, the Formatter 110 may be implemented using a combination of software and a computer, such as a personal computer. A suitable storage medium, such as a magnetic tape medium, may be used to store the DVD Output 15 112 prior to its transfer to a DVD.

Referring to FIG. 2, a detailed block diagram is illustrated having the basic components shown in FIG. 1 for combining video/audio content and programmatic content for storage on or transmission through a medium, such as a digital video disk (DVD) or the Internet (be it via a wired or wireless channel, a broadband or narrowband channel, and/or a downloaded or streaming format). (Generally, the use of storage media and transmission media are well known, and thus further explanation of DVD creation, the creation and use of downloaded multimedia files, the streaming of multimedia content, networking, and the like is not made. It is, however, contemplated by the inventors that any known or to be discovered storage medium technology or transmission medium technology could be adapted by a person of ordinary skill in the art for

use in embodiments and variations of the subject matter described herein without difficulty.) Shown is a DVD-Video Authoring Environment 100, XML Authoring Output 202, a DVD-ROM Engine 204, a Development Environment 206,

5 Development Utilities and Templates 208, a ROM Image 210, a DVD Formatter 212, and an Output 214.

The DVD-Video Authoring Environment 200,
referred to above generically as the Video/Audio Authoring
Environment, is comprised of Authoring Templates, and a

DVD Authoring Tool. The DVD-Video Authoring Environment
200 is supplied by third parties, such as Daikin
(Scenarist and ReelDVD), Sonic Solutions (Creator and DVDIT) and Spruce Technology (Maestro and Convergence). The
DVD-Video Authoring Environment 200 provides an ability to
create DVD-Video and/or DVD-Audio elements (and, in some
embodiments, CD-Audio elements) and provides or is
modified to provide an ability to create a description of
the DVD-Video and/or DVD-Audio (and/or CD-Audio) formatted
using extensible markup language (XML), e.g., an XML
source file, i.e., the Authoring Output.

When a DVD created using the present embodiment is launched, software within the device launching the DVD checks to see if the DVD contains programmatic content.

For example, if the device launching the DVD is a personal computer using the Windows operating system from Microsoft, an "autorun.inf" present on the DVD may be used to launch software on the DVD that is responsive to the programmatic content on the DVD. If the DVD contains programmatic content, then the software within the device launching the DVD changes to a Full Screen Channel

(PCFFSC), i.e., a full screen display, mode with HTML DVD video controls, and begins playing the DVD. An associated web window is closed. The associated web window will, however, appear if a URL event is triggered. The 5 associated web window may be closed at any time (if it is open). However, the associated web window will reappear if a new URL event is triggered. There is preferably only one associated web window. The associated web window will update (i.e., its contents will be updated) if the 10 associated web window is not closed before a new URL is triggered. The associated web window may be put to the back, bringing the Full Screen Channel (PCFFSC) (DVD) window to the front. If the associated web window is behind the Full Screen Channel (PCFFSC) (DVD) window and a 15 new URL is triggered, the associated web window will move to the front.

If a DVD author chooses, web content can be automatically displayed in the associated web window, i.e., the web content can "launch" under the control of the movie, i.e., under the control of, e.g., the DVD-video, DVD-audio, or CD-audio content. Another option is to allow the user (at runtime) to click a button that brings up a context sensitive website. This latter option is referred to herein as "association", as opposed to "launch".

A specific URL can be "launched" at various points within DVD-video, DVD-audio, or CD-audio content.

Launching a URL has the affect of automatically (under

DVD-video, DVD-audio, or CD-audio control) bringing up the

30 associated web window, i.e., a browser, such as an

15

imbedded browser, and displaying content from a URL specified by the DVD-video, DVD-audio or CD-Audio. This can also occur when a user is navigating the DVD-video, DVD-audio, or CD-audio menu structures, and selects a menu item that launches a URL.

The DVD-Video Authoring Environment 200 provides an ability to add URLs to chapter points and time markers that reference the start of a PGC (or program chain). (A program chain is a section of a DVD-video title set, i.e., 10 of a single DVD. In other words, program chains are smaller segments of video within a DVD-video title set, i.e., on a single DVD. Thus, there can be a sequence program chains on a single DVD. For "Sequential PGCs" a chapter number and PGC number are the same.)

In accordance with the present embodiment, if a button is to launch a URL, the button must be authored so that the button navigates to a chapter point. chapter point specifies the URL to launch. In most cases, the author will choose to display a still image when the 20 device on which the DVD is launched is not able to display DVD-ROM content in accordance with the present embodiment that indicates that web links are only functional in "DVD-ROM-equipped" DVD Players.

The concept of an "association" means that while 25 a movie is playing, a web URL can be associated with a button at any given point. This association has a hierarchy, so that the author can for example, define an overriding URL to the DVD, and then have other URLs take precedence, as the DVD is being played or navigated. 30 example, the author can add default title and default

15

chapter URLs to the DVD URL above. At any given time, the user can click on an available AGo Online@ button, and the currently assigned URL, in accordance with the hierarchy, will be launched. Whether or not to launch a particular URL, i.e., display content at the URL in the associated web window, is under control of the user.

The Authoring Output 202 comprises an XML source file generated by the DVD-Video Authoring Environment 200. The DVD-Video Authoring Environment 200, described above, creates the XML source file 202 according to a ROM specification. This XML source file 202 gives an overview of the structure of the DVD, and indicates all events that have been specified by the author, i.e., URLs that are to be "launched" or "associated".

The DVD-ROM Engine 204 comprises runtime software (runtime binaries), an XML Parser, HTML/JAVA, and a DVD-ROM Image Engine. The DVD-ROM Engine 204 is preferably implemented as a dynamic link library (DLL) that can be called by the DVD-Video Authoring Environment.

20 Alternatively, however, the DVD-ROM Engine 204 may be implemented as an executable, which offers that advantage that the DVD-Video Authoring Environment may be on a different computer than the DVD-ROM Engine, e.g., the DVD-Video Authoring Environment 200 may be on a Macintosh

25 computer from Apple, while the DVD-ROM Engine may be on a
"PC" operating the Windows operating system from
Microsoft.

Alternatively, the DVD-ROM Engine 204 may be implemented as a browser plug-in, ActiveX control, Java 30 class, or even as JavaScript and HTML code. Hence, as will

be appreciated by the skilled artisan, an alternative to implementing the DVD-ROM Engine as a "build time" application, as described herein, the DVD-ROM Engine 204 can be implemented as a "run time" application, wherein 5 only the XML source file and a "run time" implementation of the DVD-ROM Engine 204 are needed in order to fully realize the DVD-ROM functionality described herein, e.g., in order or "launch" and "associate" URLs at desired points within DVD title set. The functions of the DVD-ROM 10 Engine 204 implemented as a "run time" application are similar to the functions of the DVD-ROM Engine 204 implemented as a "build time" application, as described herein below, the notable exception being that the "image" generated by the "build time" application is not stored or 15 written, such as to a magnetic tape or DVD, but rather is acted upon as it is generated.

As a "build time" application, The DVD-ROM
Engine 204 parses Authoring Output (from the DVD-Video
Authoring Environment) and generates a template-based DVD20 ROM image 210 (including runtime software and programmatic
content, e.g., web pages (HTML files), to be installed on
the DVD), i.e., the image. The DVD-ROM image 210
preferably includes the software and programmatic content
arranged in a specified directory structure that permits
25 software and programmatic content specific to particular
hardware/software platforms to be located and launched
upon the launching of a DVD in a particular
hardware/software platform. For example, the specified
directory structure (including exemplary runtime software
30 and programmatic content) may be as follows:

```
/ROOT
      INSTALL.EXE (WIN)
      README (MAC)
      README.TXT (WIN)
 5
      DISC.ID
      AUTORUN.INF
      /COMMON
         /CONTENT
            general content (runs on multiple platforms)
         /SETUP
10
           LANG.INI
            SETUP EN.BMP
            SETUP JA.BMP
            SETUP FR.BMP
            LIC EN.TXT
15
            LIC JA.TXT
           LIC_FR.TXT
      /MAC
         /CONTENT
            content specific to Macintosh platform
20
         /SETUP
            PCFRIENDLY PLUG IN
            FLASH 4
      /WIN
25
         /CONTENT
            content specific to Windows platform
         /SETUP
            PCFRIEND.ICO
                    INUNINST. EXE
30
                    UPDATE.DAT
            /CABINETS
              MAIN.CAB
              VIDEO.CAB
              OTHER.CAB
35
            /THIRDPTY
              /DRIVERS
              /MACROMED
                 SWFLASH.EXE
              /MSIE
40
                 /EN
                 /JA
      /VIDEO_TS
```

Additional directories, runtime software, and programmatic content are added to the above directory structure, as needed, in order to support additional hardware/software platforms, such as different types of personal computers and/or different operating systems, and consumer electronic devices, e.g., set top boxes and the like.

Thus, the DVD-ROM Engine 204 of the present embodiment offers a turnkey, simple Internet solution for all DVDs authored using the DVD-Video Authoring Environment to generate the Authoring Output that includes DVD-ROM content. (Note that as shown the Authoring Output is preferably an extensible markup language (XML) file, i.e., the XML source file, however, as will be appreciated by the person of ordinary skill in the art, and as contemplated by the inventors, the Authoring Output may be any of a number of other formats, including proprietary formats.)

The DVD-ROM Engine 204 parses the XML source

20 file from the DVD-Video Authoring Environment 200 and
generates the appropriate HTML and JavaScript code to
implement Internet links, as described in further detail
below. The DVD-ROM Engine 204 also combines the HTML and
JavaScript with client binaries.

In practice (when the DVD-ROM Engine 204 is implemented in an executable for, as opposed to a dynamic link library (DLL)), the XML parser is activated using a command line; copies a new image of the DVD-ROM content from a golden image directory to a destination directory;

30 extracts DVD-ROM Engine variables from the XML source file

202; and performs a search and replace of the instances of those variables in the JavaScript and HTML files in the destination directory.

Command line syntax for the XML parser, in accordance with one embodiment, is as follows: itidvdrom.exe xml_source {/D destination} {/I golden image} [/G graphic] [/T tag]

where

10

"xml_source" is a required parameter that specifies a full path of an XML source file, i.e., the Authored Output

"destination" is an optional parameter that specifies a

15 full path to where a golden image is to be copied. If not
supplied, an ITI_VAR_DESTINATION variable must be provided
in the XML source file.

"golden_image" is an optional parameter that specifies a full path to the golden image of the DVD-ROM content. If not supplied, an ITI_VAR_GOLDEN_IMAGE_PATH variable must be provided in the XML source file.

"graphic" is an optional parameter that specifies the path
25 to a graphic to be used in a DVD-ROM content installation
screen. If this argument is not supplied, it can be
defined in the XML source file using an
ITI_VAR_STARTUP_GRAPHIC variable. If it not defined in
either place, a Default DVD-ROM Engine Graphic will be
30 used.

"tag" is an option parameter that specifies the ASCII tag
name of the element in the XML source file where the DVDROM Engine variables are stored. This is an optional
parameter. it is not supplied, the tag name AITIVariables@
used.

Predefined DVD-ROM Engine variables are preferably as follows:

10

ITI_VAR_DESTINATION versus the destination command line argument

ITI_VAR_GOLDEN_IMAGE_PATH versus the golden_image command line argument

15

ITI_VAR_STARTUP_GRAPHIC versus the graphic command line
argument

The XML source file 202 preferably has the following

20 characteristics: contains the DVD-ROM Engine variables element as child node of the root element; by default, the name of the variables element should be "ITIVariables@ (another alternate tag name can be used and specified on the application command line, as noted above); all DVD-ROM

- 25 Engine variables must defined in the variables element; a specific set of variables has been established and includes all of the variables that must be replaced in the JavaScript and HTML source files (if any variables are not present, the XML parser returns an error, and any
- 30 additional variables, not in the set, are ignored).

The following is an exemplary XML source file, such as may constitute the Authoring Output:

```
<?xml version=@1.0@ ?>
5 <root_element>
   Y
    < ITIVariables>
      <TII_VAR_bookcount>123</III_VAR_bookcount>
      <ITI_VAR_var2>@This is a Test@</ITI_VAR_var2>
10
       <ITI_VAR_temp>abc</ITI_VAR_temp>
       <TTI VAR_xyz>qrsabc</TTI_VAR_xyz>
       <ITI VAR DESTINATION>@c:\Program
    Files\InterActual@</ITI_VAR_DESTINATION>
15
       Υ
    </ITIVariables>
    Y
20 </root_element>
    <?xml version=@1.0@ ?>
    <ITX Description>
    Y
25 Y
    < DVDVideo>
       <TTI_VAR_bookcount>123</TTI_VAR_bookcount>
       <ITI_VAR_var2>@This is a Test@</ITI_VAR_var2>
       <ITI_VAR_temp>abc</ITI_VAR_temp>
       <TIL_VAR xyz>qrsabc</ITI_VAR_xyz>
30
       <ITI_VAR DESTINATION>@c:\Program
    Files\InterActual@</ITI_VAR_DESTINATION>
    </ DVDVideo>
35
    Y
     </ ITX Description>
 40
```

The XML source file 202 generated by the DVD-Video Authoring Environment 200 is used by the DVD-ROM

Engine 204 to control the copying of the software from the golden image directory (by specifying the runtime software to copy), and the substitution of variables in and the copying of the JavaScript and HTML source files.

The JavaScript and HTML source files contain multiple variables that are replaced with valid values prior execution of the JavaScript and HTML source files. (These JavaScript and HTML source files may comprise templates that are provided to the author in order to 10 perform functions such as providing a button associated with a URL, or, as described below may be custom JavaScript and HTML source files that are authored within the Development Environment 206.) The values of these variables are provided in the XML source file. The DVD-ROM 15 Engine 204 parses each JavaScript and HTML source file to find instances of the DVD-ROM Engine variables. When a DVD-ROM Engine variable is found, the DVD-ROM Engine looks the DVD-ROM Engine variable up in the list of variables extracted from the XML source file by the XML Parser. The 20 DVD-ROM Engine 204 then replaces the DVD-ROM Engine variable with the value and writes the file back to disk. This process is repeated for all variables in all JAVA Script and HTML source files in the DVD-ROM Engine directory.

25 The following is exemplary JavaScript code that may constitute a portion of the JavaScript and HTML source files (note that the JavaScript contains variables that will be replaced by values in the XML source file by the DVD-ROM Engine 204):

30

5

```
class Bookshelf {
           protected book first, last;
            protected long count;
            Bookshelf()
5
                    first = last = null;
                    count = ITI VAR bookcount;
10
            void add(book aBook)
                     if (first != null)
                             last.next = new book(aBook);
15
                             last = last.next;
                     }
                     else
                             first = new book(aBook);
20
                             last = first;
                     count++;
             }
25
             long size() { return count; }
             void print()
                     book curBook = first;
30
                     int cnt=1;
                     while (curBook != null)
                              System.out.println("Book:
35
    ITI VAR_Temp" + cnt++);
    System.out.println("ITI_VAR_var2");
                              curBook.showBook();
                              curBook = curBook.next;
 40
                      }
             }
 45 Example
```

Using the XML source file 202 from above and the JavaScript code from above, the following JavaScript code results. Note that the variable ITI_VAR_xyz was not used in the code.

```
5
    class Bookshelf {
            protected book first, last;
            protected long count;
10
            Bookshelf()
                     first = last = null;
                     count = 123;
15
            void add(book aBook)
                     if (first != null)
20
                             last.next = new book(aBook);
                             last = last.next;
                     else
25
                             first = new book(aBook);
                             last = first;
                     count++;
            }
30
            long size() { return count; }
            void print()
35
                    book curBook = first;
                     int cnt=1;
                     while (curBook != null)
40
                             System.out.println("Book: abc" +
    cnt++);
                             System.out.println("This is a Test
    ");
```

```
curBook.showBook();
curBook = curBook.next;
}

}
```

The Development Environment provides plug-ins for tools such as Visual InterDev, Dreamweaver, Homesite, and Director for HTML content development. The plug-ins assist the author in creating DVD-ROM content by automating the JavaScript creation. For example, the author may select from a menu, in one of the above mentioned tools, "insert play button", and is prompted for the graphics to use with the play button and provided with a dialog to select whether the play button is a play title, play chapter or play time, with edit boxes for the values. The Development Environment 206 also provides a user interface and emulation capabilities for building custom DVD-ROM applications, i.e., custom JavaScript and HTML source files, as mentioned above.

The Development Environment 205 preferably supports multiple languages. In order to support multiple languages, all text messages are in a configuration file. Using a "get locale" from within JavaScript code, these text messages are accessed in accordance with a desired language, so as to show the proper language. For C++ code, resource DLLs and text DLLs, per language, are employed, so that a text DLL appropriate to a desired language can be accessed in accordance with the desired language based on the Operating system language.

The Development Utilities and Templates 208 offer features for simplifying the DVD-ROM creation

25

process. This component includes HTML editor plug-ins, templates for JavaScript and HTML source files, documentation, and online developer support. The HTML editors (i.e., the tools identified above) allow authors 5 to create the JavaScript content that will be used as templates by the DVD-ROM Engine 204. The HTML editor plug-ins may allow, for example, custom graphics created by the author and code to perform DVD calls and URL associations. By way of example, the Development Utilities 10 and Templates preferably include code for features such as a Web button (active for, e.g., entire movie), which allows a user to click the web button in a controller or web page and thereby launch a desired web site; an internet button authored into a DVD menu that launches a 15 desired web site; and Title/Chapter naming (and automatic association with actual title/chapter numbers).

The DVD Formatter 212 calls the DVD-ROM Engine 204 and calls another engine that produces the video assets themselves, according to the DVD being created. The DVD Formatter 212 is a component of the DVD-Video Authoring Environment but is shown as separated since the DVD-Video and DVD-ROM images must be combined before creating/formatting the final image/DLT (digital linear tape).

FIG. 3 is a flow diagram depicting steps
traversed in operation of the system of FIG. 1.

At the outset, Video/Audio Content is authored
(Block 300) and Authoring Output is generated (Block 302)

as a function thereof. The Authoring Output, as mentioned 30 above, defines a plurality of variables that define the

15

Video/Audio content to be contained on the DVD. Next, Programmatic Content (DVD-ROM content) is authored (Blocks 304, 306), or appropriate templates are selected to effect DVD-ROM content for the DVD. Specifically, appropriate 5 JavaScript and HTML source files are selected or authored, each containing at least one variable to be defined as a function of the Video/Audio content and DVD-ROM content to be placed on to the DVD. As a result of the authoring of the DVD-ROM content, software, and programmatic content 10 are provided, and then bound with the Authoring Output (Block 308) (through the DVD-ROM Engine) in order to generate a DVD image (Block 310). The DVD image is communicated to the formatter, which formats the DVD (Block 312), creating final DVD output (Block 314).

While the invention herein disclosed has been described by means of specific embodiments and applications thereof, numerous modifications and variations could be made thereto by those skilled in the art without departing from the scope of the invention set 20 forth in the claims.

CLAIMS

What is claimed is:

1. A method for combining video/audio content with programmatic content comprising:

generating authoring output comprising a definition for a variable, and further comprising a representation of the video/audio content;

selecting a source file, the source file comprising the variable;

searching the source file for the variable, and replacing the variable with the definition for the variable;

generating programmatic content in response to the searching; and

generating an image as a function of the programmatic content and the representation of the audio/video content.

- 2. The method of Claim 1 further comprising storing said image to a storage medium.
- 3. The method of Claim 1 further comprising transmitting said image through a transmission medium.
- 4. The method of Claim 1 wherein said searching includes searching said source file at build time.
- 5. The method of Claim 1 wherein said searching includes searching said source file at run time.

- 6. The method of Claim 5 wherein said searching includes searching in response to a software engine executed on a browser.
- 7. The method of Claim 5 wherein said searching includes searching in response to the insertion of a DVD into a hardware device.
- 8. A system for combining video/audio content with programmatic content comprising:

means for searching a source file for a variable, and for replacing the variable with a definition for the variable;

means for generating programmatic content in response to the searching; and

means for generating an image as a function of the programmatic content and a representation of the audio/video content.

9. A system for combining video/audio content with programmatic content comprising:

a parser adapted to search a source file for a variable, replace the variable with a definition for the variable, and generate programmatic content in response to the searching; and

an image engine adapted to generate an image as a function of the programmatic content and a representation of the audio/video content.

10. A software system comprising:

a searching module for searching a source file for a variable, and for replacing the variable with a definition for the variable;

a content generating module for generating programmatic content in response to the searching; and an image generation module for generating an image as a function of the programmatic content and a representation of the audio/video content.

ABSTRACT OF THE DISCLOSURE

A system and method for combining video/audio content with programmatic content perform the following steps: generating authoring output comprising a definition for a variable, and further comprising a representation of the video/audio content; selecting a source file, the source file comprising the variable; searching the source file for the variable, and replacing the variable with the definition for the variable; generating programmatic content in response to the searching; and generating an image as a function of the programmatic content and the representation of the audio/video content.




FIG. 2 DVD-Video Authoring Environment (200) **DVD** Authoring Authoring Tool Templates XML contains description of DVD-Video authoring for use within the development XML (202) DVD-ROM Engine (204) Development Environment (206) XML Parser HTML Editor HTML/JAVA Emulation Window DVD-ROM Nucleus Image Engine Binaries Finished DVD-ROM image, with both HTML content and binaries. Image Development Utilities & Templates (208): provided in directory structure. ROM (210) HTML Editor Plug-Ins HTML templates DVD Formatter (Part of DVD Authoring Documentation Environment) (212) **Tutorials** Online developer site/support DVD-ROM Image Engine




FIG. 3